## This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:
☐ BLACK BORDERS
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
☐ FADED TEXT OR DRAWING
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING
☐ SKEWED/SLANTED IMAGES
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS
GRAY SCALE DOCUMENTS
☐ LINES OR MARKS ON ORIGINAL DOCUMENT
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY
Потнер.

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.

L	Hits	Search Text	DB	Time stamp
Number		(#6640055# #5405610#	Haban	2004/00/16
1	6	("6640255" or "5495610" or "20020092004").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/16 09:43
2	1	(("6640255" or "5495610" or "20020092004").pn.) and (UML or "Unified Modeling")	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/16 09:59
3	8528	((717/140,174-177) or (709/203,220,221) or (713/100) or (719/315)).CCLS.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/16 09:59
4	73	(((717/140,174-177) or (709/203,220,221) or (713/100) or (719/315)).CCLS.) and (UML or "Unified Modeling")	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/16 09:59
5	0	or (713/100) or (719/315)).CCLS.) and (UML or "Unified Modeling")) and (rule near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or deploym\$5)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16
<b>-</b>	2	6035423.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14
-	17	(@ad<=20010815 or @rlad<=20010815) and (model same (installation adj2 (package or rule)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:29
-	17.	((@ad<=20010815 or @rlad<=20010815) and (model same (installation adj2 (package or rule)) )) not Ciccarelli.in.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:34
_	9	((@ad<=20010815 or @rlad<=20010815) and (model same (installation adj2 (package or rule)) )) not ("Business Machines".as. and (installation adj2 package))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:24
-	63	<pre>(installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:27
_	48	1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 19:06
	48		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14

-	20	<pre>(((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/08/14 16:40
		database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or	DERWENT; IBM_TDB	
	•	(installation adj2 (package or rule)) )) not Stefik.in.		
-	4	rule-based near3 (installation and cofiguration or deployment)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:45
_	41	rule-based near3 (installation or (configuration or deployment))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 16:55
	26	<pre>(rule-based near3 (installation or (configuration or deployment))) and (@ad&lt;=20010815 or @rlad&lt;=20010815) and (model or (installation adj2 (package or rule)) )</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/16
-	24	((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:54
-	3	(((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:48
-	7	("5159587"   "5367698"   "5428525"   "5596695"   "5727174"   "5983364"   "6006035").PN.	USPAT	2004/08/14 16:47
_	32	6006035.URPN.	USPAT	2004/08/14 16:48
_	3	6006035.URPN. and (model and rule)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:51
_	649	<pre>((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 16:53
-	108	<pre>(("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad&lt;=20010815 or @rlad&lt;=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 18:22

-	106	<pre>((("Innis".in. or installation.ab. ) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad&lt;=20010815 or</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 18:19
		<pre>@rlad&lt;=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) not (Cicciarelli.in. or</pre>	IBM_TDB	
		("Business Machines".as. and @pd>=20010815))		•
	7	(((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines".as. and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 :17:16
		<pre>@pd&gt;=20010815))) and (rule same (installation or deployment or</pre>		
	2	activation)) 5786993.URPN.	USPAT	2004/08/14 16:58
-	0	(((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 17:17
		or process)) )) not (Cicciarelli.in. or ("Business Machines".as. and (pd>=20010815))) and ((markup or XML or HTML) adj2 (installation adj2 (program or		
	15	script or file))) (((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)))) not (Cicciarelli.in. or ("Business Machines".as. and	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/08/14 17:24
		<pre>@pd&gt;=20010815))) and ((specification or requirement or condition\$5 or predicate) same (installation adj2 (program or script or file)))</pre>		
-	16	("4818527" or "4882145" or "5143726" or "5928902" or "6231864" or "5614194" or "4886782" or "5450545" or "6078911").pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/08/14 18:17
-	4	(Javabeans and (object near6 instantiat\$3)) same (installation near6 (program or class or object))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:19
-		((Javabeans and (object near6 instantiat\$3)) same (installation near6 (program or class or object))) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:22
a	0	(( Java or Java-based or beans or EJB ) near6 modeling) same (installation near3 package)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/08/14 18:21

			· · · · · · · · · · · · · · · · · · ·	
_	0	(( Java or Java-based or beans or EJB )	USPAT;	2004/08/14
		near6 modeling) same (installation near3	US-PGPUB;	18:21
		script)	EPO; JPO;	
			DERWENT; IBM TDB	
_	22	(( Java or Java-based or beans or EJB )	USPAT;	2004/08/14
		or model) same (installation near3	US-PGPUB;	18:22
		script)	EPO; JPO;	10.22
		· ·	DERWENT;	
			IBM TDB	
_	19	((( Java or Java-based or beans or EJB )	USPAT;	2004/08/14
		or model) same (installation near3	US-PGPUB;	18:22
		script)) not (Cicciarelli.in. or	EPO; JPO;	
		("Business Machines".as. and	DERWENT;	
		@pd>=20010815))	IBM TDB	
-	17	(((( Java or Java-based or beans or EJB )	USPAT;	2004/08/14
		or model) same (installation near3	US-PGPUB;	18:34
1		script)) not (Cicciarelli.in. or	EPO; JPO;	
		("Business Machines".as. and	DERWENT;	
		<pre>@pd&gt;=20010815))) and (@ad&lt;=20010815 or</pre>	IBM_TDB	
		@rlad<=20010815) and (model or		
		(installation adj2 (package or rule or		
		script or program or facility or module	-	
_	4	or process)))	HCDAE	2004/00/14
_	4	6237144.URPN.	USPAT	2004/08/14
	4	6237144.URPN.	IICDAT	18:25
	4	OZJ/ITT.OREN.	USPAT	2004/08/14
_	10	("5179703"   "5265252"   "5432937"	USPAT	2004/08/14
		"5485579"   "5517636"   "5583983"	USFAI	18:32
		"5665501"   "5715463"   "5757925"		10.32
		"5794052").PN.		
_	0	(("5179703"   "5265252"   "5432937"	USPAT;	2004/08/14
		"5485579"   "5517636"   "5583983"	US-PGPUB;	18:51
		"5665501"   "5715463"   "5757925"	EPO; JPO;	
		"5794052").PN.) and ((Java or beans) and	DERWENT;	
		model)	IBM TDB	
-	89	(installation adj2 package) and ((Java or	USPAT;	2004/08/14
		beans) and model)	US-PGPUB;	18:33
			EPO; JPO;	
		·	DERWENT;	
			IBM_TDB	
-	49	((installation adj2 package) and ((Java	USPAT;	2004/08/14
		or beans) and model)) and (@ad<=20010815	US-PGPUB;	18:51
		or @rlad<=20010815) not (Cicciarelli.in.	EPO; JPO;	
		or ("Business Machines".as. and	DERWENT;	
		(pd>=20010815))	IBM_TDB	0004/05/5
_	0	(((installation adj2 package) and ((Java	USPAT;	2004/08/14
		or beans) and model)) and (@ad<=20010815	US-PGPUB;	18:36
		or @rlad<=20010815) not (Cicciarelli.in. or ("Business Machines".as. and	EPO; JPO;	
		<pre>@pd&gt;=20010815))) and ((translated or</pre>	DERWENT;	
		compiled or packag\$4 or instantiated or	IBM_TDB	
		implemented) near5 javabeans)		
_	20	(((installation adj2 package) and ((Java	USPAT;	2004/08/14
		or beans) and model)) and (@ad<=20010815	US-PGPUB;	18:39
		or @rlad<=20010815) not (Cicciarelli.in.	EPO; JPO;	10.00
		or ("Business Machines".as. and	DERWENT;	
		<pre>@pd&gt;=20010815))) and ((translated or</pre>	IBM TDB	
		compiled or packag\$4 or instantiated or		
		implemented) near5 (classes or java or		
		beans))		
	13	((((installation adj2 package) and ((Java	USPAT;	2004/08/14
		or beans) and model)) and (@ad<=20010815	US-PGPUB;	18:41
		or @rlad<=20010815) not (Cicciarelli.in.	EPO; JPO;	
		or ("Business Machines".as. and	DERWENT;	
		<pre>@pd&gt;=20010815))) and ((translated or</pre>	IBM_TDB	
		compiled or packag\$4 or instantiated or	_	
		implemented) near5 (classes or java or		
		beans))) not malware		

			•	
-	3	(((((installation adj2 package) and	USPAT;	2004/08/14
		((Java or beans) and model)) and	US-PGPUB;	18:42
		(@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business	EPO; JPO;	
		Machines".as. and @pd>=20010815))) and	DERWENT; IBM TDB	
		((translated or compiled or packag\$4 or	1555_155	
		instantiated or implemented) near5		
		(classes or java or beans))) not malware)		
		and Forbes.in.		
-	10	(((((installation adj2 package) and	USPAT;	2004/08/14
		((Java or beans) and model)) and	US-PGPUB;	18:48
		(@ad<=20010815 or @rlad<=20010815) not	EPO; JPO;	
		(Cicciarelli.in. or ("Business	DERWENT;	]
		Machines".as. and @pd>=20010815))) and ((translated or compiled or packag\$4 or	IBM_TDB	
		instantiated or implemented) near5		
		(classes or java or beans))) not malware)		
		not (((((installation adj2 package) and		
		((Java or beans) and model)) and		
		(@ad<=20010815 or @rlad<=20010815) not		
		(Cicciarelli.in. or ("Business		
		Machines".as. and @pd>=20010815))) and		
		((translated or compiled or packag\$4 or instantiated or implemented) near5		
	1	(classes or java or beans))) not malware)		
		and Forbes.in.)		
_	0	((model-based or MOF or (XML near4	USPAT;	2004/08/14
		metadata)) same (installation near4	US-PGPUB;	18:50
		(software or package))) and (Java or	EPO; JPO;	
		beans or EJB)	DERWENT;	
	117	//	IBM_TDB	0004/00/14
_	117	((model-based or MOF or (XML near4 metadata) or UML or "Rational Rose" or	USPAT;	2004/08/14
		Case) same (installation near4 (software	US-PGPUB; EPO; JPO;	18:51
		or package))) and (Java or beans or EJB)	DERWENT;	
			IBM TDB	
_	76	(((model-based or MOF or (XML near4	USPĀT;	2004/08/14
		metadata) or UML or "Rational Rose" or	US-PGPUB;	18:58
		Case) same (installation near4 (software	EPO; JPO;	
		or package))) and (Java or beans or EJB))	DERWENT;	
1		and (@ad<=20010815 or @rlad<=20010815) not (Cicciarelli.in. or ("Business .	IBM_TDB	
		Machines".as. and @pd>=20010815))		
_	59	((((model-based or MOF or (XML near4	USPAT;	2004/08/14
		metadata) or UML or "Rational Rose" or	US-PGPUB;	18:52
		Case) same (installation near4 (software	EPO; JPO;	
		or package))) and (Java or beans or EJB))	DERWENT;	
	İ	and (@ad<=20010815 or @rlad<=20010815)	IBM_TDB	
1		not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and		
		((Java or beans) and model)		
_	7	(((((model-based or MOF or (XML near4	USPAT;	2004/08/14
	<u> </u>	metadata) or UML or "Rational Rose" or	US-PGPUB;	18:55
		Case) same (installation near4 (software	EPO; JPO;	
		or package))) and (Java or beans or EJB))	DERWENT;	
		and (@ad<=20010815 or @rlad<=20010815)	IBM_TDB	
		not (Cicciarelli.in. or ("Business		
		Machines".as. and @pd>=20010815))) and ((Java or beans) and model)) and		
		installation.ab.		
	5	(UML same model\$5) and (Java same	USPAT;	2004/08/14
		package) and ((installation near8 (Java	US-PGPUB;	18:58
		or beans or object-oriented) adj3	EPO; JPO;	
		(program or script or package or file)))	DERWENT;	
	_	//XMX	IBM_TDB	
-	5	((UML same model\$5), and (Java same	USPAT;	2004/08/14
		<pre>package) and ((installation near8 (Java or beans or object-oriented) adj3</pre>	US-PGPUB; EPO; JPO;	19:36
		(program or script or package or file))))	DERWENT;	
		and (@ad<=20010815 or @rlad<=20010815)	IBM TDB	
		not (Cicciarelli.in. or ("Business	<u> </u>	
		Machines".as. and @pd>=20010815))		

		, , , , , , , , , , , , , , , , , , , ,		
-	15	beans and (UML and model) and	USPAT;	2004/08/14
		(installation same Java same package)	US-PGPUB;	19:42
			EPO; JPO; DERWENT;	
			IBM TDB	
_	15	(beans and (UML and model) and	USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:06
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
	ŀ	and (model or (installation adj2 (package	DERWENT;	
		or rule)))	IBM_TDB	74
_	15	1 , ,	USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:12
		and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package	EPO; JPO; DERWENT;	
		or rule)))) not Accenture.as.	IBM TDB	
_	0		USPĀT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:13
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
	İ	and (model or (installation adj2 (package	DERWENT;	
		or rule)))) not Accenture.as.) and	IBM_TDB	
	1 -	(installation adj package)	, , , , , , , , , , , , , , , , , , ,	0004/00/5
-	15		USPAT;	2004/08/14
		(installation same Java same package)) and (@ad<=20010815 or @rlad<=20010815)	US-PGPUB; EPO; JPO;	19:13
		and (model or (installation adj2 (package	DERWENT;	
		or rule)))) not Accenture.as.) and	IBM TDB	
		(installation or distribution near4		
		package)		
_	14	(((beans and (UML and model) and	USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:14
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
		and (model or (installation adj2 (package	DERWENT;	
		or rule)) )) not Accenture.as.) and ((installation or distribution) near4	IBM_TDB	
		package)		
_	7	1 *	USPAT;	2004/08/14
		(installation same Java same package))	US-PGPUB;	19:35
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	
•		and (model or (installation adj2 (package	DERWENT;	
		or rule)))) not Accenture.as.) and	IBM_TDB	
	17	(installation or distribution).ab.	Henza.	2004/09/74
-	13	(Javabeans same (deployment or installation)) and (mobile near3 device)	USPAT; US-PGPUB;	2004/08/14
		This carracton, and (modifie hears device)	EPO; JPO;	1 2 4 4 1
		·	DERWENT;	
		·	IBM TDB	
-	1	((Javabeans same (deployment or	USPĀT;	2004/08/14
		installation)) and (mobile near3 device))	US-PGPUB;	19:42
		and (@ad<=20010815 or @rlad<=20010815)	EPO; JPO;	,
		not (Cicciarelli.in. or ("Business	DERWENT;	
_	64	Machines".as. and @pd>=20010815)) (Javabeans same (deployment or	IBM_TDB USPAT;	2004/08/14
	64	installation)) and wireless	USPAT; US-PGPUB;	19:42
		This call action, and will coop	EPO; JPO;	17.14
			DERWENT;	·
			IBM TDB	
] -	28		USPĀT;	2004/08/14
		installation)) and wireless) and	US-PGPUB;	19:42
		(@ad<=20010815 or @rlad<=20010815) not	EPO; JPO;	
		(Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))	DERWENT;	
_	7		<pre>IBM_TDB USPAT;</pre>	2004/08/14
	′	installation)) and wireless) and	US-PGPUB;	19:43
		(@ad<=20010815 or @rlad<=20010815) not	EPO; JPO;	
		(Cicciarelli.in. or ("Business	DERWENT;	
		Machines".as. and @pd>=20010815))) and	IBM_TDB	
		(UML and model) and (installation same		
		Java same package)		

-	6	((((Javabeans same (deployment or	USPAT;	2004/08/14
	Ŭ	installation)) and wireless) and	US-PGPUB;	19:45
1				19:43
		(@ad<=20010815 or @rlad<=20010815) not	EPO; JPO;	1
		(Cicciarelli.in. or ("Business	DERWENT;	
İ		Machines".as. and @pd>=20010815))) and	IBM TDB	
İ		(UML and model) and (installation same	_	
		Java same package)) and Tivoli		
_	0	(UML or "Case tool" or "Rational Rose")	USPAT;	2004/08/14
	-	same (installation adj2 (script or	US-PGPUB;	19:53
i		program or package))	EPO; JPO;	15.55
		program or package//		
			DERWENT;	l i
	_		IBM_TDB	1
-	8	Tivoli same (installation adj2 (script or	USPAT;	2004/08/14
	,	program or package))	US-PGPUB;	19:53
			EPO; JPO;	1
			DERWENT;	1
			IBM TDB	
_	10	(US-6247128-\$ or US-6006035-\$ or	USPAT;	2004/08/14
	10	US-5786993-\$ or US-6237144-\$ or	'	19:56
		· · · · · · · · · · · · · · · · · · ·	US-PGPUB	13:20
		US-6381742-\$).did. or (US-20020062259-\$		
		or US-20030028869-\$ or US-20020158898-\$		
		or US-20020116454-\$ or		
		US-20030172135-\$).did.		

(((@ad<=20010815 or @rlad<=20010815) and USPAT; 2004/08/14 (model same (installation adj2 (package US-PGPUB; 20:06 or rule)) )) not ("Business Machines".as. EPO; JPO; and (installation adj2 package))) or DERWENT; IBM TDB ((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) or (((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not Ciccarelli.in.) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not Stefik.in.) or (rule-based near3 (installation and cofiguration or deployment)) or (rule-based near3 (installation or (configuration or deployment))) or ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) or (((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or ((((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))) or 6006035.URPN. or ((("Innis".in. or installation.ab.) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) or (((("Innis".in. or installation.ab. ) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or 8/((//"Innis" in or installation.ab.)
and ((hardware or parameter or attribute Search History or condition) near8 (mapp\$3 or satisf\$5 C:\APPS\EAST\Workspacesfalfilds55) wspnd (@ad<=20010815 or

(((((@ad<=20010815 or @rlad<=20010815) 2004/08/14 USPAT: and (model same (installation adj2 US-PGPUB; 20:06 (package or rule)) )) not ("Business EPO; JPO; Machines".as. and (installation adj2 DERWENT; IBM TDB package))) or ((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) or (((installation adj2 (module or package or script or program)) and ((condition\$3) or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or  $@rlad \le 20010815$ ) and (model or (installation adj2 (package or rule)) )) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not Ciccarelli.in.) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not Stefik.in.) or (rule-based near3 (installation and cofiguration or deployment)) or (rule-based near3 (installation or (configuration or deployment))) or ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) or (((rule-based near3 (installation or (configuration or deployment))) and  $(@ad \le 20010815 \text{ or } @rlad \le 20010815)$  and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or ((((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))) or 6006035.URPN. or ((("Innis".in. or installation.ab. ) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad <= 20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) or (((("Innis".in. or installation.ab. ) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) not (Cicciarelli.in. or ("Business Machines" as and epd>=20010815))) or {{(("Innis".on Am or installation.ab.)} and ((hardware or parameter or attribute C:\APPS\EAST\Workspaoes&Ondioion)wnpar8 (mapp\$3 or satisf\$5

Search History

2004/08/14 ((((@ad<=20010815 or @rlad<=20010815) USPAT; and (model same (installation adj2 US-PGPUB; 20:09 (package or rule)) )) not ("Business EPO; JPO; Machines".as. and (installation adj2 DERWENT; package))) or ((installation adj2 (module IBM TDB or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) or (((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and  $(@ad \le 20010815 \text{ or } @rlad \le 20010815)$  and (model or (installation adj2 (package or rule)) )) not Ciccarelli.in.) or ((((installation adj2 (module or package or script or program)) and ((condition\$3 or mapping) same (rule near5 (file or database or engine or unit or structure or table)))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not Stefik.in.) or (rule-based near3 (installation and cofiguration or deployment)) or (rule-based near3 (installation or (configuration or deployment))) or ((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad <= 20010815) and (model or (installation adj2 (package or rule)) )) or (((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) or ((((rule-based near3 (installation or (configuration or deployment))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule)) )) not (Cicciarelli.in. or ("Business Machines".as. and @pd>=20010815))) and (rule near4 (condition or based or satisf\$5 or mapp\$4) near3 (installation or deployment))) or 6006035.URPN. or ((("Innis".in. or installation.ab. ) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) or (((("Innis".in. or installation.ab. ) and ((hardware or parameter or attribute or condition) near8 (mapp\$3 or satisf\$5 or fulfil\$5))) and (@ad<=20010815 or @rlad<=20010815) and (model or (installation adj2 (package or rule or script or program or facility or module or process)) )) not (Cicciarelli.in. or ("Business Machines" as and @pd>=20010815))) or 16/0/"Inhis".in. or installation.ab.) Search History and ((hardware or parameter or attribute C:\APPS\EAST\Workspaoescondicions)wapar8 (mapp\$3 or satisf\$5

	T 6	("20030212987" or "6067548" or	USPAT;	2004/08/14
	ĺ	"20020104071").pn.	US-PGPUB;	20:34
		350202010.12 , .p	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	3	(("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans	US-PGPUB;	20:34
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	. 2	((("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans) and	US-PGPUB;	20:35
		modeling	EPO; JPO;	
		-	DERWENT;	
			IBM TDB	
-	2	((("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans) and	US-PGPUB;	20:40
		(deployment or installation)	EPO; JPO;	
		·	DERWENT;	·
		·	IBM_TDB	
-	] 1	(((("20030212987" or "6067548" or	USPAT;	2004/08/14
		"20020104071").pn.) and beans) and	US-PGPUB;	20:40
		(deployment or installation)) and	EPO; JPO;	
		((install\$5 or deploy\$4) near2 package)	DERWENT;	
			IBM_TDB	